

Article

Ecological Wall Systems as an Element of Sustainable Development—Cost Issues

Wojciech Drozd* and Agnieszka Leśniak

Institute of Construction Management, Tadeusz Kościuszko Cracow University of Technology, Warszawska 24 St., 31-155 Kraków, Poland; alesniak@izwbit.pk.edu.pl

* Correspondence: wdrozdz@zob.pk.edu.pl

Received: 31 May 2018; Accepted: 26 June 2018; Published: date

Abstract: Building construction based on ecological, locally available, and slightly processed materials have a positive effect on the environment and local economy. Due to its simplicity, and thus possibility to erect a building on one's own and using inexpensive materials, it may potentially become a solution to satisfy the continuously growing demand for residential buildings. In the paper, three variants of ecological external walls were proposed: a wall made of clay blocks insulated with mineral wool boards; a wall made of clay compacted in formwork insulated with mineral wool boards; and a wooden frame structure filled with straw bales and clad with fiberboards. The layers of the walls were chosen in such a manner that the heat transfer coefficient values for the studied variants are as equal as possible ($0.2 \text{ W/m}^2\text{K}$), thus allowing for a reliable comparative study. The cost calculation of each variant of walls construction was made. The obtained results allow selection of a more advantageous solution.

Keywords: ecological building; clay blocks; compacted clay; straw bales; cost calculation

1. Introduction

The basic need of all people is to have their own shelter—a home in which they can feel safe and well. For thousands of years, men have been using raw materials available in their close vicinity for construction purposes. Until today, we admire ancient structures that have endured and continue to delight us with their beauty. At present, buildings should be designed, constructed, operated, and demolished in accordance with the requirements of sustainable development [1]. This can be achieved by a responsible choice of the construction site, building materials, and the means of project implementation, and then by building maintenance and demolition, so as to avoid degradation of the environment [2]. The construction industry has an important role in the creation of the construction environment and its impact has to be measured with relation to the way it contributes to air pollution, land use and contamination, usage of resources, water and materials depletion, water pollution, impact on human health, and climate change [3,4]. In reference [5], the authors proved that the results of developing sustainable architecture are based on changing the function of a building from a linear approach to a closed circulation plan, where a building can evolve from a consumer of energy and other resources into a virtually self-sufficient unit. Investors include green aspects in their construction projects more frequently [5–7]. They increasingly desire natural buildings where special attention is paid to the use of ecological materials (such as straw, wood, and clay), energy saving during the building process, and the health of residents. These can become an alternative for traditional buildings [8].

This study concerns building structures made of local and only slightly processed materials, including straw and clay. The technologies providing for the use of these construction materials are poorly known and not much popularised. Wall materials used in Poland include: cellular concrete produced from aerated cement-lime, lime or cement mortar, ceramic materials including bricks and

hollow blocks, and light expanded clay aggregate concrete blocks. One of the most popular solutions are ceramic blocks due to their relatively low price, low thermal conductivity, and a relatively short time of wall masonry. However, in comparison to the materials that are used in natural building, ceramic hollow bricks are characterized by a higher degree of processing, and thus also lower environmental compatibility. Buildings based on natural materials are available for everyone, and they meet the criteria of sustainable development—development in which the environment and people are put first. This sort of building makes it possible to engage occupants, friends, and other people—who do not have to possess specialist qualifications—in the construction process. It allows for an aware response to the demands of sustainable development, including social integration. The simple building construction technique of straw bales or light clay allows for employing excluded persons, who are able to build homes for their own needs by themselves.

2. Literature Review

Research in the field of natural building technologies is limited. Among them: in [9], a comparison of the mechanical performance of structural elements built in three basic techniques—earth block (adobe) masonry, rammed earth, and cob—is presented. Up to present, few studies are available concerning the mechanical behavior of straw bales in buildings. Such a study is presented in reference [10], which aims at investigating the behavior of straw bales and leads to recommendations for the required bales densities. In reference [11], the viability of straw bale construction has recently been investigated, in particular, its resistance to moisture. Similarly in reference [12], two options for the use of straw to fill envelop walls were investigated in the Andean Patagonian region: the direct use of straw bales, whether in whole or in halves, and the manufacturing of straw–clay blocks. All the straw options analyzed result in significantly better thermal performance than current choices of fired bricks or concrete blocks that are commonly used in the region. In turn, in reference [13] a straw bale house located in Bavaria, Germany was evaluated. The experimental work included compression tests, moisture content, thermal stability of the bales, and pH. In article [14], authors examined the use and accuracy of a moisture probe used in the walls of a straw-bale building. This study has confirmed the use of wood-disc sensors as a robust technique for monitoring moisture content of straw-bale walls. The measurements from a number of moisture probes placed in the walls of a case study straw-bale building over a two-year period are presented. Similarly, in article [15], the results were drawn from a study on moisture monitoring in straw bale construction, including the development of an empirical equation which relates straw moisture content to surrounding microclimate relative humidity and temperature. Article [16] mentioned results from a study on the thermal conductivity of some natural plaster materials that could be used for straw bale buildings.

When analyzing the cost aspects of natural building, please pay attention to a few studies. In reference [17], the authors present green buildings that provide such financial benefits such as lower energy, waste, and water costs; lower environmental and emissions costs; lower operational and maintenance costs; as well as the increased productivity and health that conventional buildings do not possess. The comparison of traditional and modern buildings in relation to environmentally-efficient parameters can be found in reference [8,18]. In reference [2], the authors have compared walls from natural materials (straw-bale technology) with walls constructed in the traditional technology: made of cellular concrete blocks and of a ceramic air-brick insulated with Styrofoam. The evaluation criteria were the following: the cost, workload, thermal insulation, and environmental performance of the variants. The analysis revealed that the best solution for the weights assumed in the criteria was the brick wall. This solution received the highest global evaluation resulting from the comparison of the variants in relation to the chosen four criteria. It has to be mentioned that the most important criterion was the price. The natural variant of walls was the most advantageous from the insulation and environmental perspective; however, it had the worst parameters concerning cost and workload. In [19], the authors pay attention to the whole life cost and environmental impact of buildings to encourage key stakeholders to make more sustainable

choices. In their opinion, a perception that more energy efficient and environmentally-friendly buildings cost more to build from the outset should be questioned.

This paper contains an analysis of three types of exterior walls made using natural building technologies: clay block wall with insulation layer consisting of mineral wool boards; a wall made of clay compacted in formwork with thermal insulation of mineral wool boards; and a wooden structure/framework filled with straw bales and covered with fiberboard. Wall layers have been selected so as to ensure that the values of heat transfer 'U' are close to each other, reaching 0.2 W/m²K. This selection of layers allowed for making a reliable comparison of wall construction costs. The article is a continuation of a research study carried out by its authors in this subject matter. In reference [7], they have presented a comparative study of these walls regarding construction time. In this article the intended purpose has been to show a comparative study for the same walls regarding their construction costs. As a matter of fact, studies on low-impact building do not show any schemes to calculate implementation costs.

3. Selection of an Object for Analysis

The design of a two-storey detached house has been used as an object for carrying out the calculations and comparative analysis. The number of exterior and interior load-bearing walls, as well as window openings and door-ways, will be used as an example for comparing construction costs. Depending on the applied materials, the wall or its individual components will be measured in m³ or m².

Due to different wall thickness values (depending on the material and technology), the external dimensions for a non-plastered structure according to the draft model have been used in the calculations. It means that the dimensions of the analyzed building are the same for each of the technologies. Therefore, the building is sized 8.20 × 8.60 m.

4. Cost Calculation Method

The detailed cost calculation method was used for building walls cost estimating. This type of calculation involves determining an estimated price of the construction works, as products of the volume of unit works, material expenditures and their prices, and the added direct costs and profit, respectively, including tax on goods and services, according to the formula [20]

$$C_k = \sum L \cdot (n \cdot c + K_{pj} + Z_j) + P_v \quad (1)$$

where:

C_k —estimated price of the construction works,

L —volume of specified work quantity units,

$n \cdot c$ —direct costs per work quantity unit,

K_{pj} —indirect costs per work quantity unit,

Z_j —calculated profit per work quantity unit,

P_v —tax on goods and services.

The indirect costs, profit, and tax on goods and services are excluded in cost calculations carried out for the purposes of comparative analysis of selected wall execution variants. It is because they are usually calculated in percentages from a given basis so they will not affect the results of the comparison.

The direct costs per work quantity unit are calculated according to the formula

$$n \cdot c = n_r \cdot c_r + \sum n_m \cdot c_{mn} + M_{pj} + \sum n_s \cdot c_s \quad (2)$$

where:

n —unit expenditures: labor— n_r , materials— n_m , work, equipment and technological transport facilities— n_s ,

c —unit costs of production factors, including: estimated labor rate per hour— c_r , unit material purchase prices— c_m , unit prices of machine-hours for equipment and means of technological transport— c_s ,

M_{pj} —cost of supplementary materials per work quantity unit.

The direct costs of the analyzed works are calculated according to the following guidelines:

- Unit costs/expenditures of labor, materials, and equipment (n) are taken from the National Contractors Estimator (KNR) or derived by analogy.
- For those natural building works where no adequate catalogues exist, the costs/expenditures are derived on the basis of the available literature [21,22].
- Average prices from 'Sekocenbud' pricelist for the fourth quarter of 2017 will be applied as unit prices of production factors (materials with purchase costs and equipment). The Sekocenbud is a Polish newsletter which includes quarterly information about the prices of construction production factors in the Polish construction market. There are material prices, labor prices and prices of construction equipment lease.
- The estimated man-hour rate is 4.00 EUR/m-h.
- No cost of rent or providing additional scaffoldings is calculated for the analyzed works.
- It is assumed that the clay is obtained from the foundation trenches, thus its cost is EUR 0.00.
- It is assumed that the price of chopped straw, which is a thinning addition to the clay mass, is EUR 0.00.
- The cost of straw bales $31 \times 41 \times 70$ cm is assumed to be 0.48 EUR per unit [23].

5. Bill of Quantities of Exterior Load-Bearing Walls of the Analyzed Building

The bill of quantities of exterior walls in the building has been developed taking into account adequate National Contractors Estimators (KNR). The names of the direct works contain the numbers of the catalogues being used or the references to items in the literature, if there is no adequate catalogue item for a given work.

5.1. Walls of Clay Blocks

The first studied structure a wall variant was made of $10 \times 25 \times 38$ cm clay blocks insulated with mineral wool boards. The structural layer of the wall is 38-cm thick (Figure 1). On the outside, the wall is insulated with 16 cm-thick mineral wool boards and covered with lime plaster. On the inside, the wall is covered with a two-layer clay plaster.




Figure 1. Cross-section of clay block wall. Source: own study.

Table 1 presents the calculations for the exterior walls made using the clay block technology.

Table 1. Bill of quantities of exterior walls in the clay block technology

Outside Walls (Own Study. Basis [11])				
Level	Spec.	Qty. [m²]	Qty. [m²]	Qty. [m³]
Ground floor	Walls	83.01	70.22	26.68
	Openings	−12.79		
Attic	Walls	49.986	43.39	16.49
	Openings	−6.6		
SUM			113.60	43.17
Various Works (Own Study. Basis [11])				
Level			Qty. [m]	
Ground floor			14.00	
Attic			56.80	
Prefabricated Heads (KNR 202/126/5)				
Level			Qty. [m]	
Ground floor			8.60	
Attic			3.00	
SUM			11.60	
Thermal Insulation of Mineral Wool (KNR 33/2/4(1))				
Level	Spec.	Qty. [m²]	Qty. [m²]	
Ground floor	Walls	97.07	82.84	
	Openings	−14.23		
Attic	Walls	54.27	47.67	
	Openings	−6.6		
SUM			130.51	
Outside Lime Plaster (KNR 202/906/2)				
Level	Spec.	Qty. [m²]	Qty. [m²]	
Ground floor	Walls	98.95	84.72	
	Openings	−14.23		
Attic	Walls	55.858	49.26	
	Openings	−6.6		
SUM			133.98	
Double-Layer Inside Clay Plaster—1 Layer (Own Study. Basis [11])				
Level	Spec.	Qty. [m²]	Qty. [m²]	
Ground floor	Walls	78.91	67.56	
	Openings	−11.35		
Attic	Walls	48.76	42.16	
	Openings	−6.6		
SUM			109.72	

Source: own study.

5.2. Walls of Compacted Clay

The second variant solution is the wall made of clay compacted in the formwork whose structural thickness is 30 cm (Figure 2). The formwork is demountable panels. The remaining wall layers are the same as in the clay block wall.




Figure 2. Cross-section of the wall made of clay compacted in formwork. Source: own.

Table 2 presents the calculations for the exterior walls made using the technology of clay rammed in formwork.

Table 2. Bill of quantities of exterior walls in the technology of clay compacted in formwork

Outside Walls (Own Study, Basis [11])				
Level	Spec.	Qty. [m²]	Qty. [m²]	Qty. [m³]
Ground floor	Walls	83.87	71.08	21.32
	Openings	−12.79		
Attic	Walls	50.78	44.18	13.25
	Openings	−6.6		
SUM			115.26	34.58
Various Works (Own Study, Basis [12])				
Component			Qty. [m]	
Shuttering			32.32	
Levelling layer under floor beams			46.88	
Prefabricated Heads (KNR 202/126/5)				
Level			Qty. [m]	
Ground floor			8.60	
Attic			3.00	
SUM			11.60	
Thermal Insulation of Mineral Wool (KNR 33/2/4 (1))				
Level	Spec.	Qty. [m²]	Qty. [m²]	
Ground floor	Walls	97.07	82.84	
	Openings	−14.23		
Attic	Walls	54.27	47.67	
	Openings	−6.6		
SUM			130.51	
Outside Lime Plaster (KNR 202/906/2)				

Level	Spec.	Qty. [m ²]	Qty. [m ²]
Ground floor	Walls	98.95	84.72
	Openings	−14.23	
Attic	Walls	55.86	49.26
	Openings	−6.6	
SUM			133.98
Double-Layer Inside Clay Plaster - 1 Layer (Own Study, Basis [12])			
Level	Spec.	Qty. [m ²]	Qty. [m ²]
Ground floor	Walls	80.63	69.28
	Openings	−11.35	
Attic	Walls	49.81	43.21
	Openings	−6.6	
SUM			112.50

Source: own study.

5.3. Walls Made Using the ‘Straw-Bale’ Technology

The third variant is the wall made of small 31 × 41 × 70 cm straw bales placed in a wooden frame structure (Figure 3). The frame structure will be erected in the timber-frame house technology where the posts are made as frames—so-called ladders. The wooden frame skeleton will be clad on both sides with 12-mm fiberboard for good adhesion and improved thermal insulation. The wall will have a lime plaster on the outside and a two-layer clay plaster on the inside.




Figure 3. Cross-section of the wall made using the straw-bale technology. Source: own study.

Table 3 presents the calculations for the exterior walls made using the ‘straw-bale’ technology.

Table 3. Bill of quantities of the exterior walls using the ‘straw-bale’ technology

Framework Structure—Columns of Outside Walls (KNR 21/4001/1)			
Level	Spec.	Qty. [m ²]	Qty. [m ²]
Ground floor	Walls	86.95	74.16
	Openings	−12.79	
Attic	Walls	52.63	46.03

Openings		-6.6	
SUM			120.19
Framework Structure - Girts and Ground Beams (KNR 21/4002/1) (KNR 21/4002/17 (1))			
Component		Qty. [m]	
Ground beams		67.01	
Girts		67.01	
Framework Structure—Heads (KNR 21/4003/8)			
Level		Qty. [m]	
Ground floor		60.00	
Attic		3.00	
Sum		11.60	
Thermal Insulation of Straw Bales (Analogy to KNR 202/613/6)			
Level	Spec.	Qty. [m²]	Qty. [m²]
Ground floor	Walls	86.95	72.72
	Openings	-14.23	
Attic	Walls	52.63	46.03
	Openings	-6.6	
SUM		118.75	
Covering Framework Structure With Fibreboard Inside and Outside (KNR 21/4004/4 (1))			
Level	Spec.	Qty. [m²]	Qty. [m²]
Ground floor	Walls	182.42	153.96
	Openings	-28.46	
Attic	Walls	107.37	94.17
	Openings	-13.20	
SUM		248.13	
Outside Lime Plaster (KNR 202/906/2)			
Level	Spec.	Qty. [m²]	Qty. [m²]
Ground floor	Walls	98.95	84.72
	Openings	-14.23	
Attic	Walls	55.86	49.26
	Openings	-6.6	
SUM		133.98	
Double-Layer Inside Clay Plaster—1 Layer			
Level	Spec.	Qty. [m²]	Qty. [m²]
Ground floor	Walls	83.61	72.26
	Openings	-11.35	
Attic	Walls	51.63	45.03
	Openings	-6.6	
SUM		117.29	

Source: own study based on [14].

6. Cost Calculation for the Construction of the Walls in the Analyzed Variants

6.1. Cost Calculation for the Construction of the Clay Block Walls

Own calculation items have been set in order to determine the direct costs for the works involved in the clay preparation and incorporation, based on the subject literature content [22,23].

The calculation of the costs involved in erecting a division wall made of clay blocks includes the construction of external load-bearing walls, the making of openings in the walls, the placing of prefabricated heads, insulation of the walls with mineral wool boards, and applying external and internal plasterwork (Tables 4–7).

Table 4 presents the calculation of labor cost for the clay block walls.

Table 4. Labor cost for clay block wall

Meas.	Total qty.	Price [EUR/ m-h]	Value [EUR]
m-h	159.00	3.85	614.07
m-h	1.28	3.85	4.93
m-h	322.50	3.85	1241.63
m-h	251.25	3.85	967.31
m-h	124.63	3.85	479.83
m-h	142.06	3.85	546.90
SUM			3854.70

Source: own study.

Table 5 presents the calculation of the material cost for the clay block walls.

Table 5. Cost of materials for clay block wall

Item	Name	Meas.	Total qty.	Price [EUR]	Value [EUR]
1	Reinforced concrete head beam L19N/150 length 149 cm	pcs.	7.89	7.33	57.83
2	Clay blocks 10 x 25 x 38 cm	m ³	43.17	0.00	0.00
3	Raw building clay	m ³	38.9	0.00	0.00
4	Natural sand	m ³	9.71	4.96	48.16
5	Mineral wool board Isover PT80 thickness 60 mm	m ²	140.95	5.57	785.09
6	Mineral wool board Isover PT80 thickness 100 mm	m ²	140.95	9.55	1346.07
7	Chopped straw	kg	272.19	0.00	0.00
8	Regular lime mortar for building	m ³	0.42	35.41	14.87
9	Cement-lime mortar M2 (m.15)	m ³	3.31	34.21	113.24
10	Cement-lime mortar M7 (m.50)	m ³	0.09	42.28	3.81
11	Clay mortar	m ³	2.19	0.00	0.00
12	Dry adhesive mortar for mineral wool boards, for light insulation - Atlas Rocker W-20	kg	522.04	0.26	135.73
	Supplementary outlays		1.00	2.80	2.80
SUM					2507.60

Source: own study.

Table 6 presents the calculation of the equipment cost for the clay block walls.

Table 6. Equipment cost for clay block wall

Item	Name	Meas.	Total qty.	Price [EUR/m-h]	Value [EUR]
1	Mixing pump 1.1-3.3 m ³ /h (1)	m-h	13.57	6.68	90.65
2	Dropside truck up to 5t (1)	m-h	4.18	13.75	57.48
3	Electric central mast-type hoist 0.5 t	m-h	14.50	1.92	27.84
				SUM	175.97

Source: own study.

Table 7 presents the total cost of erecting the clay block walls for the analyzed building.

Table 7. Total cost of erecting clay block wall.

The type of cost	Cost [EUR]	Participation [%]
The labour	3854.70	60.00
The materials	2507.60	37.00
The equipment	175.97	3.00
SUM	6538.27	100.00

Source: own study.

In order to obtain the average cost of making 1 m² of a division wall of clay blocks, it is required to divide the total cost by the total area of the walls

$$C_{av} = \frac{6538.27 \text{ EUR}}{113.60 \text{ m}^2} = 57.56 \frac{\text{EUR}}{\text{m}^2} \quad (3)$$

where:

C_{av} —the average cost of making 1 m² of wall.

6.2. Cost Calculation for the Construction of Compacted Clay Walls

Own calculation items have been set in order to determine the direct costs for the work involved in clay preparation and incorporation, based on the subject literature content.

Calculation of cost involved in erecting a division wall made of clay compacted in formwork includes the construction of outside load-bearing walls, the making of openings in the walls, the placing of prefabricated heads, insulation of the walls with mineral wool boards and applying external and internal plasterwork (Tables 8–11).

Table 8 presents the calculation of the labor cost for the walls made of clay compacted in formwork.

Table 8. Labor cost for wall made of clay compacted in formwork.

Item	Name	Meas.	Total qty.	Price [EUR/m-h]	Value [EUR]
1	Carpenters group I	m-h	116.38	3.85	448.06
2	Masons group III	m-h	1.28	3.85	4.93
3	Workers group I	m-h	235.81	3.85	907.87
4	Workers group II	m-h	75.77	3.85	291.71
5	Workers group III	m-h	14.87	3.85	57.25
6	Plasterers group II	m-h	126.21	3.85	485.91
7	Plasterers group III	m-h	142.06	3.85	546.93
				SUM	2.739.66

Source: own study.

Table 9 presents the calculation of the cost of materials for the wall made of clay compacted in formwork.

Table 9. Cost of materials for wall made of clay compacted in formwork.

Item	Name	Meas.	Total qty.	Price [EUR]	Value [EUR]
1	Reinforced concrete head beam L19N/150 length 149 cm	pcs.	7.89	7.33	57.83
2	Edged softwood boards class III, thickness 25 mm	m ³	4.49	140.33	630.08
3	Clay	m ³	42.88	0.00	0.00
4	Round nails, bare	kg	16.16	1.30	21.01
5	Sand, graining 0–4 mm	m ³	10.72	9.04	96.91
6	Mineral wool board Isover PT80 thickness 60 mm	m ²	140.95	5.57	785.09
7	Mineral wood board Isover PT80 thickness 100 mm	m ²	140.95	8.55	1205.12
8	Flat washers Uls6	pcs.	129.28	0.19	24.56
9	Threaded rod for fastening for heavy loads, cl. 4.8 M16-M20	pcs.	67.23	2.76	185.55
10	Chopped straw	kg	31.81	0.00	0.00
11	Regular lime mortar for building	m ³	0.42	35.41	14.87
12	Cement-lime mortar M2 (m.15)	m ³	3.31	34.21	113.24
13	Cement-lime mortar M7 (m.50)	m ³	0.09	42.28	3.81
14	Clay mortar	m ³	2.25	0.00	0.00
15	Dry adhesive mortar for mineral wool boards, for light insulation - Atlas Rocker W-20	kg	522.04	0.26	135.73
	Supplementary outlays		1.00	45.95	45.95
				SUM	3319.75

Source: own study.

Table 10 presents the calculation of the equipment cost for walls made of clay compacted in formwork.

Table 10. Equipment cost for wall made of clay compacted in formwork.

Name	Qty.	Total qty.	Price [EUR/m-h]	Value [EUR]
Mixing pump 1.1-3.3 m ³ /h (1)	m-h	13.57	6.68	90.65
Dragged soil cutter (set)	m-h	2.77	1.95	5.40
Dropside truck up to 5t (1)	m-h	4.18	13.75	57.48
Vibratory foot rammer 66-78 kg	m-h	32.84	2.53	83.09
Passenger-cargo hoist 1.0 t	m-h	100.32	3.73	374.19
Portable window crane 0.15 t	m-h	5.64	1.12	6.31
			SUM	617.12

Source: own study.

Table 11 presents the total cost of erecting walls of clay compacted in formwork for the analyzed building.

Table 11. Total cost of erecting wall of clay compacted in formwork.

The type of cost	Cost [EUR]	Participation [%]
The labour	2709.66	41.00
The materials	0.75	50.00
The equipment	617.12	9.00
SUM	6646.53	100.00

Source: own study.

In order to obtain the average cost of making 1 m² of a division wall of clay blocks, it is required to divide the total cost by the total area of the walls

$$C_{av} = \frac{6646.53 \text{ EUR}}{115.26 \text{ m}^2} = 57.67 \frac{\text{EUR}}{\text{m}^2} \quad (4)$$

where:

C_{av} —the average cost of making 1 m² of a wall.

6.3. Cost Calculation for the Construction of Walls Using the ‘Straw-Bale’ System

The calculation of direct costs involved in erection of a division wall in the ‘straw-bale’ system includes building a wooden framework in the ‘Canadian house’ system, filling the framework with straw bales, covering it on both sides with fibreboard, and applying external and internal plasterwork (Tables 12–15).

Table 12 presents the calculation of the labor cost for the walls using the ‘straw-bale’ technology.

Table 12. Labor cost for a wall in the ‘straw-bale’ technology.

Name	Measure	Total qty.	Price [EUR/m-h]	Value [EUR]
Masons group II	m-h	501.64	3.85	1931.31
Masons group III	m-h	444.33	3.85	1710.67
Workers group I	m-h	16.59	3.85	63.87
Workers group II	m-h	47.36	3.85	182.34
Plasterers group II	m-h	66.62	3.85	256.49
Plasterers group III	m-h	79.76	3.85	307.08
		SUM		4451.76

Source: own study.

Table 13 presents calculation of the material costs for the walls made using the ‘straw-bale’ technology.

Table 13. Cost of materials for a wall in the ‘straw-bale’ technology.

Item	Name	Meas.	Total qty.	Price [EUR]	Value [EUR]
1	Softwood boards planed on both sides, class II, thickness 28-45 mm	m ³	3.40	244.43	831.06
2	Round nails, zinc-coated	kg	37.73	1.54	58.10
3	Straw bales 31x41x70	pcs.	413.25	0.48	198.36
4	Plain fibreboard, porous, thickness 125 mm	m ²	272.94	1.55	423.0
5	Regular lime mortar for building	m ³	0.42	35.41	14.87
6	Cement-lime mortar M2 (m.15)	m ³	3.31	34.21	113.24
7	Cement-lime mortar M7 (m.50)	m ³	0.09	42.28	3.81
8	Clay mortar	m ³	2.35	0.00	0.00

Supplementary outlays	1.00	24.90	24.90
		SUM	1667.40

Source: own study.

Table 14 presents calculation of equipment costs for a wall made using the ‘straw-bale’ technology.

Table 14. Cost of equipment for a wall in the ‘straw-bale’ technology.

Item	Name	Meas.	Total qty.	Price [EUR/m-h]	Value [EUR]
1	Mixing pump 1.1-3.3 m ³ /h (1)	m-h	13.57	6.68	90.65
2	Dropside truck up to 5t (1)	m-h	8.74	13.75	120.18
3	Electric central mast-type hoist 0.5 t	m-h	8.38	1.92	16.09
				SUM	226.92

Source: own study.

Table 15 presents the total cost of erecting the walls of the analyzed building using the ‘straw-bale’ technology.

Table 15. Total cost of erecting a wall in the ‘straw-bale’ technology.

The type of cost	Cost [EUR]	Participation [%]
The labour	451.76	70.00
The materials	1667.40	26.00
The equipment	226.92	4.00
SUM	6346.08	100.00

Source: own study.

In order to obtain the average cost of making 1 m² of a division wall in the ‘straw-bale’ technology, it is required to divide the total cost by the total area of the walls

$$C_{av} = \frac{6346.08 \text{ EUR}}{120.19 \text{ m}^2} = 52.80 \frac{\text{EUR}}{\text{m}^2} \quad (5)$$

where:

C_{av} —the average cost of making 1 m² of wall.

7. Comparison of the Wall Erection Costs in the Analyzed Variants

7.1. Cost of Making 1 m² of Wall

The cost of building 1 m² of wall depends directly on the construction time through labor costs. Moreover, in the simplest case, the cost is also affected by the type and volume of materials and construction equipment being used [23]. In general, the cost of erecting 1 m² of wall is one of the most important factors determining which technology will be chosen to make the division wall.

The wall made using the ‘straw-bale’ technology proved to be the cheapest solution (Figure 4); as such, the division wall made of clay blocks and clay compacted in framework turned out to be a less economic solution. The poor result obtained for a clay division wall has been primarily due to factors including the considerable amount of labor and the more expensive thermal insulation type. In the case of clay compacted in framework, shuttering makes for an additional cost.




Figure 4. Cost of making 1 m² of wall depending on the chosen technology. Source: own study.

7.2. Share of Individual Components in the Wall Erection Costs

It is worth showing the cost analysis divided into labor, materials, and equipment (Figure 5). This analysis indicates which component most affects the total cost of the project, and this information may become an indication for choosing the optimal external wall. For example, when people have inexpensive manpower or time, thus being able to get involved in works by themselves, a more optimal solution for them will be to choose a wall type where the labor is the most expensive component. On the other hand, when they can get discounts or allowances from building materials wholesalers, it will be more optimal to choose the division wall for which material price is the most decisive factor in the total construction cost.




Figure 5. Division of the total wall construction cost into the costs of work/labor, material, and equipment. Source: own study.

Among the analyzed exterior wall types, the walls made of compacted clay shows the lowest labor cost. In case of a clay block division walls, the higher labor cost is primarily generated by the prolonged process of clay preparation and block formation. The walls made of straw bales in a wooden framework turned out to be the most expensive solution as regards the labor cost. More precisely, the whole framework construction determines this high labor cost.

Walls made using the ‘straw-bale’ technology proved to be the least expensive divisions as regards material expenditure. This is chiefly due to the very low purchase cost of the straw bales. In second place in the category of used materials cost are the walls made of clay blocks. This results from the assumption that materials including clay and chopped straw are obtained for free. The material cost is highest in the case of a compacted clay walls, which is connected with the high costs of shuttering made by the carpenter on site. This cost could be reduced if the shuttering is used at several construction sites.

The equipment cost for the analyzed division walls is comparable, differing only in the case of the compacted clay wall, where power rammers and a cargo-passenger lift are additionally used. The system formwork would increase equipment expenditures, but it would also reduce material costs.

8. Conclusions

The paper contains a comparison of construction costs for the exterior walls of a building, erected using three different technologies. The incurred costs have been estimated in detail despite a lack of up-to-date studies on the labor input required for individual works, occurring in the case of natural building technologies.

The purpose of the paper has been to provide a comparative analysis of the costs involved in erecting the exterior walls of a building based on locally available materials that may be qualified as natural building materials. This goal has been achieved.

The analyses demonstrated in the paper allow for drawing the following conclusions:

- The variant of walls made using the ‘straw-bale’ technology has been found to be the most advantageous among the analyzed natural building solutions. In spite of having the highest labor cost, this solution has proven to be the least expensive among all the natural building wall-making technologies.
- The high cost of clay wall variants is mostly generated by the expensive thermo-insulating layer in the form of mineral wool boards.
- When considering the lowest general cost of labor, the variant of walls made of clay compacted in formwork has proven to be the best. However, this variant has generated the highest cost of building equipment.
- The high cost of the variant of wall made of clay compacted in formwork is primarily generated by the cost of the formwork. If its cost could be spread among several buildings, or if another, more economic shuttering type could be used, the result obtained by this technology would be much better and would compete with the variant of wall made of straw in a wooden framework.
- Among the main reasons in favor of natural buildings are the free—or very inexpensive—building materials.
- The double-layer clay plaster may form an alternative for other types of wall facing used today inside a building. The cost of such plaster made manually does not exceed the cost of cement-lime plaster prepared by mechanical means.

Author Contributions: Conceptualization and Methodology, A.L.; Performed the calculation, W.D.; Writing—Original Draft Preparation, A.L., W.D.; All the authors have read and approved the final manuscript.

Funding: This research received no external funding.

Conflicts of Interest: The authors declare no conflict of interest.

References

1. Leśniak, A.; Zima, K. Cost Calculation of Construction Projects Including Sustainability Factors Using the Case Based Reasoning (CBR) Method. *Sustainability* **2018**, *10*, 1608, doi:10.3390/su10051608.

2. Leśniak, A.; Zima, K. Comparison of Traditional and Ecological Wall Systems Using the AHP Method. In Proceedings of the 15th International Multidisciplinary Scientific Geo Conference Surveying Geology and Mining Ecology Management (SGEM 2015), Albena, Bulgaria, 18–24 June 2015; Volume 3, pp. 157–164.
3. Zavadskas, E.K.; Vilitienė, T.; Tamošaitienė, J. Harmonization of cyclical construction processes: A systematic review. *Procedia Eng.* **2017**, *208*, 190–202, doi:10.1016/j.proeng.2017.11.038.
4. Zavadskas, E.K.; Antucheviciene, J.; Kalibatas, D.; Kalibatiene, D. Achieving Nearly Zero-Energy Buildings by applying multi-attribute assessment. *Energy Build.* **2017**, *143*, 162–172, doi:10.1016/j.enbuild.2017.03.037.
5. Bonenberg, W.; Kapliński, O. The Architect and the Paradigms of Sustainable Development: A Review of Dilemmas. *Sustainability* **2018**, *10*, 100, doi:10.3390/su10010100.
6. Švajlenka, J.; Kozlovská, M. Houses Based on Wood as an Ecological and Sustainable Housing Alternative—Case Study. *Sustainability* **2018**, *10*, 1502, doi:10.3390/su10051502.
7. Drozd, W.; Leśniak, A.; Zaworski, S. Construction Time of Three Wall Types Made of Locally Sourced Materials: A Comparative Study. *Adv. Mater. Sci. Eng.* **2018**, *2018*, 2172575 doi:10.1155/2018/2172575.
8. Garas, G.; Allam, M.; El Dessuky, R. Straw bale construction as an economic environmental building alternative—A case study. *ARPN J. Eng. Appl. Sci.* **2009**, *4*, 54–59.
9. Miccoli, L.; Müller, U.; Fontana, P. Mechanical behaviour of earthen materials: A comparison between earth block masonry, rammed earth and cob. *Construct. Build. Mater.* **2014**, *61*, 327–339.
10. Lecompte, T.; Le Duigou, A. Mechanics of straw bales for building applications. *J. Build. Eng.* **2017**, *9*, 84–90.
11. Robinson, J.; Aoun, H.K.; Davison, M. Determining Moisture Levels in Straw Bale Construction. *Procedia Eng.* **2017**, *171*, 1526–1534.
12. González, A.D. Energy and carbon embodied in straw and clay wall blocks produced locally in the Andean Patagonia. *Energy Build.* **2014**, *70*, 15–22.
13. Ashour, T.; Georg, H.; Wu, W. Performance of straw bale wall: A case of study. *Energy Build.* **2011**, *43*, 1960–1967.
14. Goodhew, S.; Griffiths, R.; Woolley, T. An investigation of the moisture content in the walls of a straw-bale building. *Build. Environ.* **2004**, *39*, 1443–1451.
15. Lawrence, M.; Heath, A.; Walker, P. Determining moisture levels in straw bale construction. *Constr. Build. Mater.* **2009**, *23*, 2763–2768.
16. Ashour, T.; Wieland, H.; Georg, H.; Bockisch, F.J.; Wu, W. The influence of natural reinforcement fibres on insulation values of earth plaster for straw bale buildings. *Mater. Des.* **2010**, *31*, 4676–4685.
17. Kats, G. *Green Building Costs and Financial Benefits*; Massachusetts Technology Collaborative: Boston, MA, USA, 2003.
18. Brojan, L.; Petric, A.; Clouston, P.L. A comparative study of brick and Straw Bale wall systems from environmental, economical and energy perspectives. *ARPN J. Eng. Appl. Sci.* **2013**, *8*, 920–926.
19. Bartlett, E.; Howard, N. Informing the decision makers on the cost and value of green building. *Build. Res. Inf.* **2000**, *28*, 315–324.
20. Plebankiewicz, E. *Fundamentals of Cost Estimation of Construction Works*; Cracow University of Technology: Krakow, Poland, 2007.
21. Institute of Housing Construction. *Temporary Principles of Erecting Clay Buildings*; Institute of Housing Construction: Warsaw, Poland, 1955.
22. Kaczyński, S. *Outline of Clay Construction*; Construction and Architecture: Warsaw Poland, 1954.
23. Drozd, W. Light clay straw bale solutions in the contemporary housing as an element of sustainable development. Selected issues. In *E3S Web of Conferences*; EDP Sciences: Les Ulis, France, 18–21 July 2016; Volume 10.

